Acta Physiol Scand 2002, **174**, 381–382

Author index

Ainsworth, M.A. *see* Praetorius, J.
Andersson, E. *see* Sand, A.E.
Aoki, K. *see* Yanagimoto, S.

Bäck, M., Walch, L., Norel, X., Gascard, J.-P., Mazmanian, G. & Brink, C. Modulation of vascular tone and reactivity by nitric oxide in porcine pulmonary arteries and veins, 9
Balling, R. *see* Schulz, H.
Beilin, L.J. *see* Malmsjö, M.
Belcastro, A.N. *see* Tiidus, P.M.
Berglund, B., Gennser, M., Örnhagen, H., Östberg, C. & Wide, L. Erythropoietin concentrations during 10 days of normobaric hypoxia under controlled environmental circumstances, 225
Berthon, P.M. *see* Lemoine, S.
Bie, P. *see* Gabrielsen, A.
Blomstrand, E. *see* Essén-Gustavsson, B.
Bobbert, M.F. *see* Hof, A.L.
Bombardier, E. *see* Tiidus, P.M.
Brink, C. *see* Bäck, M.
Bülow, J. *see* Langberg, H.
Bush, J.A. *see* Miles, M.P.

Carré, F. *see* Lemoine, S.
Christensen, N.J. *see* Gabrielsen, A.
Chu, Z.M. *see* Malmsjö, M.
Clarkson, P.M. *see* Rawson, E.S.
Clarkson, P.M. *see* Thompson, H.S.
Croft, K. *see* Malmsjö, M.
Cui, G.-L., Sandvik, A.K., Munkvold, B. & Waldum, H.L. Glycine-extended gastrin-17 stimulates acid secretion only via CCK-2 receptor-induced histamine release in the totally isolated vascularly perfused rat stomach, 125

Delamarche, P. *see* Lemoine, S.
Dissing, S. *see* Looms, D.K.
Duggan, K.A. *see* Hodge, G.
Dvoretsky, D.P. *see* Yartsev, V.N.

Eder, G. *see* Schulz, H.
Edvinsson, L. *see* Malmsjö, M.
Ehren, I. *see* Mörlin, B.
Enns, D. *see* Tiidus, P.M.
Eriksen, M. *see* Waaler, B.A.
Erlinge, D. *see* Malmsjö, M.
Essén-Gustavsson, B. & Blomstrand, E. Effect of exercise on concentrations of free amino acids in pools of type I and type II fibres in human muscle with reduced glycogen stores, 275

Ferguson, D.G. *see* Szymanski, P.T.
Freudenthaler, S.M., Schreeb, K.-H., Wiese, A., Pilz, J. & Gleiter, C.H. Influence of controlled hypoxia and radical scavenging agents on erythropoietin and malondialdehyde concentrations in humans, 231
Fried, G. *see* Sand, A.E.
Friis, U.G. *see* Praetorius, J.
Friman, S. *see* Nilsson, B.
Fultz, M.E. *see* Li, C.

Gabrielsen, A., Pump, B., Bie, P., Christensen, N.J., Warberg, J. & Norsk, P. Atrial distension, haemodilution, and acute control of renin release during water immersion in humans, 91
Galloway, S.D.R. *see* Patterson, M.J.
Gascard, J.-P. *see* Bäck, M.
Gennser, M. *see* Berglund, B.
Gleiter, C.H. *see* Freudenthaler, S.M.
Granier, P. *see* Lemoine, S.
Grove, D.S. *see* Miles, M.P.

Hammarström, M. *see* Mörlin, B.
Hedin, L. *see* Nilsson, B.
Heyder, J. *see* Schulz, H.
Hisdal, J. *see* Waaler, B.A.
Hodge, G., Ye, V.Z.C. & Duggan, K.A. Dysregulation of angiotensin II synthesis is associated with salt sensitivity in the spontaneous hypertensive rat, 209
Hof, A.L., van Zandwijk, J.P. & Bobbert, M.F. Mechanics of human triceps surae muscle in walking, running and jumping, 17
Holden, D. *see* Tiidus, P.M.
Horikawa, N. *see* Yanagimoto, S.

Inoue, Y. *see* Yanagimoto, S.

Johansen, T. *see* Praetorius, J.
Johner, C. *see* Schulz, H.

Kaminishi, M. *see* Ogawa, T.
Karachentseva, O.V. *see* Yartsev, V.N.
Kawahara, K. *see* Nishikitani, M.
Kiil, F. Analysis of myogenic mechanisms in renal autoregulation, 347
Kiil, F. Analysis of the tubuloglomerular feedback mechanism in renal autoregulation, 357
Kjær, M. *see* Langberg, H.
Kokubo, A. *see* Nishikitani, M.
Kondo, N. *see* Yanagimoto, S.
Kraemer, W.J. *see* Miles, M.P.

Lagercrantz, H. *see* Shvarev, Y.N.
Laine, V.J.O. *see* Luo, C.
Langberg, H., Olesen, J.L., Bülow, J. & Kjær, M. Intra- and peri-tendinous microdialysis determination of glucose and lactate in pigs, 377
Lemoine, S., Granier, P., Tiffoche, C., Berthon, P.M., Rannou-Bekono, F., Thieulant, M.-L., Carré, F. & Delamarche, P. Effect of endurance training on oestrogen receptor alpha transcripts in rat skeletal muscle, 283
Li, C., Fultz, M.E. & Wright, G.L. PKC-α shows variable patterns of translocation in response to different stimulatory agents, 237
Looms, D.K., Tritsaris, K. & Dissing, S. Nitric oxide-induced signalling in rat lacrimal acinar cells, 109
Luo, C., Laine, V.J.O., Ylinen, L., Teros, T., Mäkinen, M., Ristimäki, A. & Simell, O. Expression of cyclooxygenase-2 in intestinal goblet cells of pre-diabetic NOD mice, 265

© 2002 Scandinavian Physiological Society

Mackinnon, L.T. *see* Miles, M.P.
Mäkinen, M. *see* Luo, C.
Malmsjö, M., Chu, Z.M., Croft, K., Erlinge, D., Edvinsson, L. & Beilin, L.J. P2Y receptor-induced EDHF vasodilatation is of primary importance for the regulation of perfusion pressure in the peripheral circulation of the rat, 301
Marx, J.O. *see* Miles, M.P.
Mastro, A.M. *see* Miles, M.P.
Mazmanian, G. *see* Bäck, M.
Miles, M.P. *see* Rawson, E.S.
Miles, M.P., Mackinnon, L.T., Grove, D.S., Williams, N.I., Bush, J.A., Marx, J.O., Kraemer, W.J. & Mastro, A.M. The relationship of natural killer cell counts, perforin mRNA and CD2 expression to post-exercise natural killer cell activity in humans, 317
Mimura, Y. *see* Ogawa, T.
Mirbod, S.M. *see* Sugiura, H.
Mörlin, B., Hammarström, M., Ehren, I. & Sjöstrand, N.O. Does nitric oxide act as a cellular messenger in muscarinic endometrial secretion in the guinea-pig?, 311
Munkvold, B. *see* Cui, G.-L.

Newton, M. *see* Nosaka, K.
Nilsson, B., Valantinas, J., Hedin, L., Friman, S. & Svanvik, J. Acetazolamide inhibits stimulated feline liver and gallbladder bicarbonate secretion, 117
Nimmo, M.A. *see* Patterson, M.J.
Nishida, H. *see* Sugiura, H.
Nishikitani, M., Kokubo, A., Takemura, H., Saigenji, K. & Kawahara, K. Serosal application of Ba^{2+} induces oscillatory chloride secretion via activation of submucosal cholinergic neurones in guinea-pig distal colon, 257
Nishiyasu, T. *see* Yanagimoto, S.
Norel, X. *see* Bäck, M.
Norsk, P. *see* Gabrielsen, A.
Nosaka, K., Newton, M. & Sacco, P. Responses of human elbow flexor muscles to electrically stimulated forced lengthening exercise, 137

Ogawa, T., Mimura, Y. & Kaminishi, M. Renal denervation abolishes the protective effects of ischaemic preconditioning on function and haemodynamics in ischaemia-reperfused rat kidneys, 291
Olesen, J.L. *see* Langberg, H.
Örnhagen, H. *see* Berglund, B.
Östberg, C. *see* Berglund, B.

Patterson, M.J., Galloway, S.D.R. & Nimmo, M.A. Effect of induced metabolic alkalosis on sweat composition in men, 41
Paul, R.J. *see* Szymanski, P.T.
Pilz, J. *see* Freudenthaler, S.M.
Praetorius, J., Friis, U.G., Ainsworth, M.A., Schaffalitzky De Muckadell, O.B. & Johansen, T. The cystic fibrosis transmembrane conductance regulator is not a base transporter in isolated duodenal epithelial cells, 327
Price, T.B. *see* Rawson, E.S.
Pump, B. *see* Gabrielsen, A.

Rannou-Bekono, F. *see* Lemoine, S.
Rawson, E.S., Clarkson, P.M., Price, T.B. & Miles, M.P. Differential response of muscle phosphocreatine to creatine supplementation in young and old subjects, 57
Reitmeier, P. *see* Schulz, H.
Ristimäki, A. *see* Luo, C.

Sacco, P. *see* Nosaka, K.
Saigenji, K. *see* Nishikitani, M.
Sand, A.E., Andersson, E. & Fried, G. Effects of nitric oxide donors and inhibitors of nitric oxide signalling on endothelin- and serotonin-induced contractions in human placental arteries, 217
Sandvik, A.K. *see* Cui, G.-L.
Schaffalitzky De Muckadell, O.B. *see* Praetorius, J.
Schreeb, K.-H. *see* Freudenthaler, S.M.
Schulz, H., Johner, C., Eder, G., Ziesenis, A., Reitmeier, P., Heyder, J. & Balling, R. Respiratory mechanics in mice: strain and sex specific differences, 367
Scordilis, S.P. *see* Thompson, H.S.
Shibasaki, M. *see* Yanagimoto, S.
Shvarev, Y.N., Lagercrantz, H. & Yamamoto, Y. Biphasic effects of substance P on respiratory activity and respiration-related neurones in ventrolateral medulla in the neonatal rat brainstem *in vitro*, 67
Simell, O. *see* Luo, C.
Sjöstrand, N.O. *see* Mörlin, B.
Sugiura, H. *see* Sugiura, H.
Sugiura, H., Nishida, H., Sugiura, H. & Mirbod, S.M. Immunomodulatory action of chronic exercise on macrophage and lymphocyte cytokine production in mice, 247
Svanvik, J. *see* Nilsson, B.
Szymanski, P.T., Ferguson, D.G. & Paul, R.J. Polylysine binding to unphosphorylated smooth muscle myosin enhances formation and stabilizes myosin filaments *in vitro*, 337

Takemura, H. *see* Nishikitani, M.
Teros, T. *see* Luo, C.
Thiculant, M.-L. *see* Lemoine, S.
Thompson, H.S., Clarkson, P.M. & Scordilis, S.P. The repeated bout effect and heat shock proteins: intramuscular HSP27 and HSP70 expression following two bouts of eccentric exercise in humans, 47
Tiffoche, C. *see* Lemoine, S.
Tiidus, P.M., Zajchowski, S., Enns, D., Holden, D., Bombardier, E. & Belcastro, A.N. Differential effect of oestrogen on post-exercise cardiac muscle myeloperoxidase and calpain activities in female rats, 131
Tritsaris, K. *see* Looms, D.K.

Valantinas, J. *see* Nilsson, B.

Waaler, B.A., Hisdal, J. & Eriksen, M. Circulatory responses to a meal in patients with a newly transplanted heart, 101
Walch, L. *see* Bäck, M.
Waldum, H.L. *see* Cui, G.-L.
Warberg, J. *see* Gabrielsen, A.
Wide, L. *see* Berglund, B.
Wiese, A. *see* Freudenthaler, S.M.
Williams, N.I. *see* Miles, M.P.
Wright, G.L. *see* Li, C.

Yamamoto, Y. *see* Shvarev, Y.N.
Yanagimoto, S., Aoki, K., Horikawa, N., Shibasaki, M., Inoue, Y., Nishiyasu, T. & Kondo, N. Sweating response in physically trained men to sustained handgrip exercise in mildly hyperthermic conditions, 31
Yartsev, V.N., Karachentseva, O.V. & Dvoretsky, D.P. Effect of pH changes on reactivity of rat mesenteric artery segments at different magnitude of stretch, 1
Ye, V.Z.C. *see* Hodge, G.
Ylinen, L. *see* Luo, C.

Zajchowski, S. *see* Tiidus, P.M.
van Zandwijk, J.P. *see* Hof, A.L.
Ziesenis, A. *see* Schulz, H.

© 2002 Scandinavian Physiological Society

Subject index

A7r5 cells, 237
acetazolamide, 117
acetylcholine, 257
acid-base balance, 41
acidosis, 1
adhesion, 317
afferent arteriole, 347
ageing, 57
altitude training, 225
alveolar slope, 367
amino acids, 275
Ang II, 209
Ang II synthesis, 209
angiotensinogen, 209
arginine vasopressin, 91
autonomic nerves, 311

ß-adrenergic receptor, 109
barium (Ba^{2+}), 257
baroreceptors, 91
bicarbonate secretion, 117
bicarbonate transport, 327
blood vessels, 217
body temperature, 31

Ca^{2+}-dependent, 257
calpain, 131
carbonic anhydrase, 117
cardiac muscle, 131
cardiac output, 91, 101
CFTR, 327
cGMP, 109
chloride secretion, 257
cholecystokinin-2 receptor, 125
cholinergic fibre, 257
cholinergic nerves, 311
connective tissue, 377
contraction, 9, 237
creatine monohydrate, 57
cyclooxygenase (COX)-2, 265
cysteinyl-leukotrienes, 9
cytokines, 247
cytotoxicity, 317

DAF-2, 109
dead space volume, 367
denervated hearts, 101
denervation, 291
doping, 225
duodenum, 327

EDHF, 301
effective osmolality, 357
elasticity, 17
electrical field stimulation, 1
endometrium, 311
endothelin, 217
endothelium, 301
enterochromaffin-like cell, 125
ergogenic aid, 57
erythropoietin, 225, 231
ethacrynic acid, 347
exercise, 41, 131, 247, 275
exercise-induced muscle damage, 47

fibre types, 275
force–length relation, 17
force–velocity relation, 17
forskolin, 327
free oxygen radicals, 231

gallbladder, 117
gastric acid secretion, 125
gene expression, 317
G kinase, 109
glycine-extended gastrin-17, 125
glycogen, 275
goblet cell, 265
guinea-pig, 311
guinea-pig distal colon, 257
gut-associated lymphoid tissue (GALT), 265

healthy volunteers, 231
histamine, 125
hypoxia, 225, 231

in vitro, 67
intracellular Ca^{2+}, 109
intracellular pH, 327
ischaemia–reperfusion, 291
ischaemic preconditioning, 291
isolated rat stomach, 125

juxtaglomerular apparatus, 347, 357

kidney, 291

lacrimal acini, 109
localization, 237
locomotion, 17
lung volumes, 367
LY 83583, 217
lymphocytes, 317

macrophages, 247
macrophage marker CD68, 265
malondialdehyde, 231
maximal isometric force, 137
mesenteric artery, 1
mouse, 367
muscle, 17
muscle damage, 137
muscle soreness, 137
myeloperoxidase, 131
myogenic mechanism, 357
myosin filaments, 337

neonatal rat, 67
nitric oxide, 9, 109, 217, 311

© 2002 Scandinavian Physiological Society

N^{ω}-niro-L-arginine, 9
N^{G}-nito-L-arginine, 1
non-obese diabetic (NOD), 265
non-thermal factors, 31
noradrenaline, 1, 9
nuclear magnetic resonance, 57

ODQ, 217
oestrogen, 131
oestrogen receptor alpha, 283
ovariectomized rats, 131

P2 receptor, 301
percutaneous electrical stimulation, 137
phosphocreatine, 57
physical training, 31
placenta, 217
plasma CK activity, 137
Poiseuille's formula, 347, 357
polycations, 337
porcine pulmonary arteries and veins, 9
protein kinase Cα, 237
purine, 301
pyrimidine, 301

radical scavengers, 231
rat, 1, 291
regional differences in sweating response, 31
relative recovery, 377
renal sympathetic nerves, 291
repeated bout effect, 47, 137
respiration, 67
respiration-related neurones, 67
respiratory system compliance, 367
reverse transcriptase-polymerase chain reaction (RT-PCR), 283
ROM, 137
rhythm generation, 67

salt sensitive hypertension, 209
secretin, 117
secretion, 311
SHR, 209
single breath, 367
skeletal muscle, 283
smooth muscle, 337
splanchnic circulation, 101
splenic lymphocytes, 247
stress proteins, 47
stress tolerance, 47
stimulus-secretion coupling, 109
submucosal neurones, 257
substance P, 67
superior mesenteric artery, 101
sweat composition, 41
sweat gland, 41
swelling, 137
sympathetic nervous activity, 91

tendon compliance, 17
thermal factors, 31
training, 283
transmural pressure, 347, 357
tubuloglomerular feedback, 357
type 1 diabetes (T1D), 265

vaso active intestinal peptide, 117
vasoconstriction, 217
vascular tension, 347
vasodilatation, 217, 301

work loop, 17

© 2002 Scandinavian Physiological Society